Seasonal and weather dependency of the spectral influence on PV performance

Rajiv Daxini, Yupeng Wu

Faculty of Engineering, University of Nottingham, United Kingdom

Rajiv.Daxini@nottingham.ac.uk


Introduction

- Spectral variation → up to 14% sensitivity even for crystalline silicon [1]
- Climate variation → > 5% absolute change in annual MMF [2]
- Existing work → lacking on specific weather conditions and implications for PVPM
- This study → clear and dynamic sky analysis, seasonal trends, optimised MMF modelling




Fig. 1: Nottingham test rig


Results 1: Spectral influence on PV



(a) Clear sky summer



(b) Dynamic sky summer



(c) Dynamic sky winter


Fig. 2: Spectral influence on PV performance

- **Clear S→W:** I_{scn} stable for aSi, ↑ for mSi
- **Summer C→D:** I_{scn} ↓ for aSi, ↑ for mSi
- **Dynamic S→W:** I_{scn} ↑ for aSi, stable for mSi
- **Winter C→D:** I_{scn} ↑ for aSi, ↑ for mSi


	Clear		Dynamic	
	S	W	S	W
mSi	0.973	1.001	1.054	1.041
aSi	1.043	1.050	0.926	1.173
CdTe	1.007	-	0.911	-

Table 1: Median I_{scn} values in summer (S) and winter (W), under different sky conditions


Results 2: Optimised MMF modelling




(a) $f(AM_a)$ (clear S)



(b) $f(AM_a, K_t)$ (clear S)



(c) $f(\varphi)$ (dynamic W)



(d) $f(\varphi, \varepsilon)$ (dynamic W)

Fig. 3: Example SCF fitting results

- Time-of-day error in the 1-variable characterisations
- Second variable decreases fitting uncertainty
- Higher responsivity of direct parameters is better for dynamic conditions
- Sub-optimal SCF choice can lead to 90% loss ($\Delta R^2 \approx 0.9$) in fitting accuracy for the same PV panel in different seasons/conditions
- *Note: AM_a=Absolute air mass, K_t=Clearness index, φ=Average photon energy, ε=650–670*nm *band depth*

Methods




Fig. 4: Daily variation in G_{poa}.

Ref	Dep. variable	Type
[3]	AM_a	Proxy
[4]	AM_a, K_t	Proxy
[5]	φ	Direct
[6]	φ, ε	Direct

Table 2: SCFs analysed

- G_{poa}, φ, etc. used to define sky conditions
- 1-min I_{sc}; 5-sec G_{poa}, T_{amb}, T_{mod}; 30-sec E_λ
- AOI, T_{cell}, G_{poa} correction for I_{scn}
- $1 \leq AM_a \leq 15$, G_{poa}>10W m^{-2}

SCF recommendations

	Clear		Dynamic	
	S	W	S	W
aSi	AM_a	φ	AM_a	φ
CdTe	φ,ε	-	φ,ε	-
mSi	AM_a	φ	φ,ε	φ

Table 3: Optimal SCF choices according to R^2

- Proxy AM_a adequate for summer/clear
- Outlier summer/dynamic aSi; overfitting?
- CdTe needs a direct spectral parameter
- Winter → Direct; Summer → Proxy/direct
- Dynamic skies require a more responsive spectral parameter

Conclusion

- Median efficiency varies by up to 9% between seasons and sky conditions
- Time-of-day error in 1-variable SCFs
- Proxy variable for summer clear skies (mSi and aSi), direct variable for CdTe
- φ recommended in winter
- Extension to predictive model analysis required in future work

Acknowledgements

This work was supported by travel grants awarded to Rajiv Daxini by the UoN Faculty of Engineering and the SUPERGEN SuperSolar network.

References

[1] Kinsey, et al., Ren. Ener. 196 (2022) 995–1016.

[2] Schweiger, et al., IET R.P.G. 11 (2017) 558–565.

[3] King, et al., in: PVSC, 1997, pp. 1113–1116.

[4] Pelland, et al., in: PVSC, 2020, pp. 1258–1264.

[5] Daxini, et al., Ren. Ener. 201 (2022) 1176–1188.

[6] Daxini, et al., Preprint SSRN 4378056 (2023).