


# MEDICAL SURVEILLANCE AT HANFORD

Joseph Samuels, CIH, PhD

Population Health Analysis Team Lead

# Hanford Occupational Health Process



# Medical Surveillance At Hanford

- **Per EJTA - Through September 2004 (FY04), there were 20,000 Person Programs with 11,000 EJTA's received of which 1,250 EJTA's were Terminated**

# Medical Surveillance At Hanford

 In FY 03 and FY04, the Six most commonly occurring programs were:

-  Respirator User
-  Hearing Conservation
-  Bloodborne Pathogen
-  Hazardous Waste Worker
-  Hazmat Medical
-  Beryllium Exposure – Previous Worker

# Beryllium Programs

<b>PROGRAM</b>	<b>FY03</b>	<b>FY04</b>
<b>Beryllium Exposure – Previous</b>	<b>982</b>	<b>1100</b>
<b>Beryllium Assigned Worker</b>	<b>267</b>	<b>800</b>
<b>Number of BeLPTs Performed</b>	<b>3700</b>	

# Beryllium Affected Workers

 **Chronic Beryllium Disease** **13**

 5 no longer on Site

 **Beryllium Sensitization** **46**

 17 no longer on Site

 **Single Positive Be-LPT** **18**

 6 no longer on Site

 Meeting DOL criteria for EEOICPA

# Beryllium Affected Worker Occupations

- HPT/RCT/RM/HM
- Electrician/Carpenter/Driver
- Engineer/Administrative
- Fire/Medical/Security
- Power Operator/NPO/NCO
- Millwright/Insulator
- Fitter/Painter/Rigger
- Instrument/Chemist/Specialist
- Manager/Executive/Supervisor