

SPECIAL SPECIFICATION

SECTION 02233S

AGGREGATE BASE COURSE

PART 1 - GENERAL

1.01 DESCRIPTION OF WORK

- A. This section shall apply to the materials, workmanship and operations required for the installation of aggregate base course for paving. The scope includes aggregate base course for pavement, roadways, parking, pedestrian ways, and other structures, where shown on the drawings.

1.02 REFERENCES

- A. All work shall be done in compliance with Section 302 of the latest version of the City of Albuquerque – Standard Specifications for Public Works Construction (with exceptions below)
- B. Exceptions:
 - 1. Delete Paragraph 302.3.1.1 and substitute with – “Aggregate base course material shall be 100% crushed recycled Portland cement concrete or crushed asphalt pavement, or any combination, and natural sand, the combination of materials conforming to the requirements of ASTM D2940 and the plans and specifications, as authorized by the SDR.”
 - 2. All work shall be paid for on a lump sum basis, as given in the contract documents. The measurement and Payment section of Specification Section 302 shall be deleted.
 - 3. Paragraph 302.1 – Strike the last sentence from this paragraph, and insert the sentence, “A job mix formula will be required for this project.”
 - 4. Paragraph 302.5.5 – Delete the term “Materials and Testing Laboratory, Construction Division, Public Works Division” and insert the term “Sandia Designated Testing Laboratory.”

END OF SECTION