

ELEVATION OF PARAPET W/ CAGE LOCK (A / 93217 A-1)
SCALE: NONE

ELEVATION OF LADDER W\OUT CAGE (B / 93217 A-1)
SCALE: NONE



ELEVATION AT FLAT ROOF W/ CAGE LOCK (C / 93217 A-1)
SCALE: NONE



PLAN @ PLATFORM (1 / 93217 A-1)
SCALE: NONE



SECTION (2 / 93217 A-1)
SCALE: NONE



SECTION (3 / 93217 A-1)
SCALE: NONE



SECTION (4 / 93217 A-1)
SCALE: NONE

GENERAL NOTES

1. STEP ACROSS DISTANCE FROM TOP RUNG TO PLATFORM SHALL BE 2½" MIN. TO 12" MAX.
2. PAINT ALL NEW STEEL WITH ONE COAT METAL PRIMER & TWO COATS OF ENAMEL. COLOR: LIGHT-GRAY.
3. GRIND SMOOTH ALL SHARP CORNERS & EDGES.
4. PRIMARY HOOP FOR TOP, BOTTOM, AND FOR CAGES LONGER THAN 20'-0". INTERMEDIATE HOOPS SPACED NOT MORE THAN 20'-0" O.C.



HINGE DETAIL (D / 93217 A-1)
SCALE: NONE



LADDER DETAIL (E / 93217 A-1)
SCALE: NONE



ELECTRICAL GROUND BOND DETAIL (F / 93217 A-1)
SCALE: NONE



STANDOFF BRACKET DETAIL (G / 93217 A-1)
SCALE: NONE

P.O. / PROJECT NO.	REV	DATE	DESCRIPTION	DWN	CKD	APP
		6-15-01	UDS MODS	EG	FL	
AW0168	A	7/93	UPDATE	MAJ	NUE	

U.S. DEPARTMENT OF ENERGY
KIRTLAND AREA OFFICE — ALBUQUERQUE, NEW MEXICO

SANDIA NATIONAL LABORATORIES

STEEL LADDERS FIXED & CAGED TYPE

P.O.	
PROJECT NO.	7881-90-11
DRAWN BY	MAJ
CHECKED BY	DJ
SNL ENGR	
DATE	1/10/91

ARCHITECTURAL — STANDARD

SIZE D+ — DRAWING NO SF2004STD — SEQ.

OLD FILE NAME: 093217/A01

MICROSTATION FILE
FILE NAME: SF2004STD.dgn
REFERENCE FILES:

"Property of Sandia National Laboratories Facilities Management and Operation Center (FMOC). No duplication or alteration allowed without the expressed permission and authorization of FMOC."